

bathovision

a vision for your bathroom





bathovision

a waterproof and tamperproof
digital television

Exclusive bathroom TV system

The ultimate in bathroom televisions, the frameless LCD bathovision looks like a stylish bevelled mirror when turned off yet offers fabulous, waterproof and condensation free viewing on demand and comes complete with remote control. bathovision can be bundled with our own Rimote™ or Amina™ plaster in wall speakers.

bathovision is available in two versions depending on whether bathomatic functionality is enabled or not. bathovision with enabled bathomatic functionality transforms the TV through an On Screen Display menu into another interface for bathomatic and lights management, when the suitable bathomatic hardware is present and installed correctly.

Top features



- waterproof and tamperproof
- heated glass
- all functions remotely controlled
- frameless construction
- mirror finish
- high quality, waterproof speakers
- integration with bathomatic and home automation system
- Multi-function waterproof remote control with holder/charger



Technical specifications:

Screen size (diagonal)	23" / 26" / 32" / 40" / 46"
Active area (H x V)	286 x 209 (23") / 576 x 324 (26") / 698 x 393 (32") / 885 x 498 (40") / 1018 x 573 (46") mm
Displayable Colours	16.7 M
Resolution	1366 x 768 px
Pixel Pitch	0.372 (23") / 0.422 (26") / 0.511 (32") / 0.648 (40") / 0.746 (46") mm
Viewing Angle (H x V)	170° x 170° (26") / 178° x 178° (23", 32", 40", 46")
Response Time	8 ms
Screen Format	16:9
PAL / SECAM B/G, D/K, I	YES
SECAM L	YES
NTSC 3.58 / 4.43 (AV)	YES
Progressive Scan	YES
Skin Tone	NO (23") / YES (26", 32", 40", 46")
Black Strecher	YES
Digital Comb Filter	Adaptive 3D
DCTI / DLTi	YES
Picture Enhancer	Noise Reduction
Picture Modes	Dynamic, Standard, Mild, Game, User
Stereo / NICAM	YES / YES
Sound Effect	SRS WOW
AVL (Auto Volume Leveller)	YES
Equalizer	YES
Sound Modes	Flat, Music, Movie, Speech, User
Teletext Pages	500
TOP / FLOF	YES / YES
WSS	YES
MENU / Half Tone OSD	YES
Multi Language OSD	YES
Program List / Edit	YES / YES
Double Window PIP	NO (23") / YES (26", 32", 40", 46")
PIP	NO (23") / YES (HD PIP) (26", 32", 40", 46")
Zoom Function	YES
ARC (Aspect Ratio Control)	YES
Program pages	200
HD Ready	YES
DTV Tuner	DVB-T (UK)
HDMI™ Input	YES
Component 1 (Y/Pb/Pr) Input	480i~1080i, 480p~720p
Component 2 (Y/Pb/Pr) Input	480i~1080i, 480p~720p
S-Video Input	480i
AV 1 Input	Full SCART
AV 2 Input	NO (23") / Full SCART (26", 32", 40", 46")
D-SUB Input	NO (23") / 640x480 ~ 1360x768 (26", 32", 40", 46")
PC Audio In	NO (23") / YES (26", 32", 40", 46")
Digital Sound Output	NO (23") / Optical + Coaxial (26", 32", 40", 46")
AV Out	YES
RS-232C	optional
Power Consumption	130 W (23") / 140 W (26") / 150 W (32") / 220 W (40") / 270 W (46")
Standby Power Consumption	below 3 W

In view of our constant endeavour to improve the quality of our products and services Unique Automation reserves the right to change design and specification at any time without prior notice.



unique automation

12-14 Orion Business Centre
Surrey Canal Road
London
SE14 5RT

T: +44 (0) 20 7740 3910
F: +44 (0) 20 7232 0972
info@bathomatic.com

www.uniqueautomation.co.uk
www.bathomatic.co.uk